




PtX as part of integrated energy systems

Professor Marie Münster, DTU Management Climate Thursday webinar, SDU 02/11 2023



Mio. ton CO2e



Klimarådet.

- El og fjernvarme
- Husholdninger
- Serviceerhverv
- Fremstillingserhverv og byggeanlæg
- Produktion af olie, gas og VEbrændstoffer

Affald

Transport

Landbrug, skove, gartneri og fiskeri

CCS

×2030-mål

Smart energy systems and sector coupling

Power to other sectors


• First direct

DTU

• and then indirect electrification

Services to power sector

• Flexibility and storage



UK Summary of DTU Sector Development report about Smart Energy Systems. July 2020

4

DTU

6 prerequisites for large-scale PtX

- Quick access to low-cost, green electricity
- Green international transport
- Limited biomass import
- Access to biogenic CO2
- Smart sector coupling
- Technology development and good regulatory framework
- Dansk PtX-succes hviler på seks afgørende forudsætninger GridTech 16/9 2021



A unified European hydrogen infrastructure planning to support the rapid scale-up of hydrogen production

Authors: Ioannis Kountouris*, Rasmus Bramstoft, Theis Madsen, Juan Gea-Bermúdez, Marie Münster, Dogan Keles

Preprint available: <u>https://www.researchsquare.com/article/rs-3185467/latest</u>

Münster, M., Kountouris, I. og Bramstoft, R. (2023) "Hvordan kan Europa få dækket sit behov for brint?", *Samfundsøkonomen*, 2023(3), s. 51–63. <u>https://tidsskrift.dk/samfundsokonomen/article/view/140186</u>

SuperP2G - Synergies Utilising renewable Power **REgionally by means of Power-To-Gas**

The Project at a glance

- National cases focused on different challenges, where researchers teamed up with local needowners to co-create solutions.
- SuperP2G focused on developing and improving existing evaluation tools including open access.
- This was supplemented with analysis of regulation ۲ and markets, as well as stakeholder involvement.


Project management Reporting Coordination Project meetings/workshops/ between WPs web conferences Local cases Netherlands Austria Italy Germany Denmark Communication a dissemination Case TSO2020 Case Case Skive Case Case ERA-NET **HYPOS** WIVA Puglia SuperP2G Tool & Cross Insemination Integration Planning tools and procedures Real-time tool and **Energy markets and stakeholders Opportunities** National energy Certificate system modeling markets and caveats Key data: 01.11.2019 to 31.03.2023 **Research partners:** Netherlands: RUG-Denmark: DTU ME. Germany: DBI-GTI, • • DTU Elektro, DVGW-ÉBI FEB GreenLab Skive Italy: CNR, Uni **Europe:** ERIG Austria: JKU Linz

Bologna

www.superp2g.eu https://superp2g.external.dbi-gruppe.de/




Fit 55 package, by 2030 40GW, December 2021



REPowerEU by 2030, March 2022

- 10 Mt of annual domestic production and
- 10 Mt of imports of renewable hydrogen
- Requires 64 GW EU Electrolysis installed capacity More and more ambitious targets!


Committed electrolyser capacity from EU national strategies by 2030 in the EU



Source: Clean Hydrogen monitor, 2022

8

Main investigation: Where/when and how should we produce hydrogen in the future?



North European countries

- Large potentials for offshore wind
- District heating
- Cheap onshore wind

Central and south European countries

- Cheap solar PV
- Close to North Africa Possible imports of H2
- Repurpose and new


Hydrogen infrastructure in the future?

Competition with green blue hydrogen and imports?.

DTU

DATA: European Hydrogen BackBone (EHB) – 28 Gas TSOs

5 main corridors



Source: A European Hydrogen infrastructure vision covering 28 countries, April 2022


WEO 2022, conventional fuel prices (NZE scenario), high co2 tax 140 €/ton for 2030, to 250 €/ton for 2050




Date DTU

DTU

Hydrogen production import - modeling




DATA: Hydrogen backbone report into Balmorel (2050)



- Costs for hydrogen transmission grids vary from 50,000 €/MW to 300,000 €/MW
- Depends on the length, status (off- or onshore), new or repurposed



Caverns – spatial allocation and potential





Scenarios



H₂ production pathways:



Green H2 Europe (GH2E)

H₂ production pathways:




Self Sufficient Green H2 Europe (SSGH2E)

H₂ production pathways:



Sector coupled energy systems analysis - Balmorel


Partial Equilibrium model Objective Function: Min cost of operations and investments Open source (GAMS based) <u>www.balmorel.com</u>



Ea, Energianalyse 2022



Results




2030

H2 Demand: 332 TWh

1768 TWh (>x5)

Hydrogen Imports from 3rd nations



Scenario: Base

Hydrogen Capacities (2050)


- Electrolysis capacity: 305GW_{h2}
- SMR-CSS capacity: 61 GW_{h2}

Importing H₂ from 3rd nations (2050)

- Marroco: 42/115 (TWh)
- Tunisia: 61/375 (TWh)
- Ukraine: 23/100 (TWh)

18

Blue Hydrogen: A possible lock in effect!



19

What could be the effect if not importing ? (2050)


From 450 GW to 505 GW Electrolysis

Scenario: Green H2 Europe Scenario: Self-sufficient EU 60 GW 60 GW • 1 GW 10 GW 30 GW 1 GW 30 GW 10 GW . ELECTROLYZER SMR SMR-CCS ELECTROLYZER SMR SMR-CCS 1.0 GW_{H2} 1.0 GW_{H2} 5.0 GW_{H2} - 5.0 GW_{H2} 10.0 GW_{H2} 10.0 GW_{H2} 20.0 GW_{H2} 20.0 GW_{H2} (The (De

DTU



Danish H2 demand and export




Münster, M., Kountouris, I. og Bramstoft, R. (2023) "Hvordan kan Europa få dækket sit behov for brint?", *Samfundsøkonomen*, 2023(3), s. 51–63. https://tidsskrift.dk/samfundsøkonomen/article/view/140186


Blue Hydrogen and the role of Hydrogen Infrastructure (2050)

Scenario: Green H2 Europe

Scenario: BASE



Blue Hydrogen and the effects in the electricity mix (2050)



Date DTU



System cost difference to BASE 2050:

GH2E	~ 3 % ~ 9 bil. €/year
SSGH2E	~ 4 % ~ 13 bil. €/year





- Hydrogen production is located in the periphery (mainly the South) to supply West/ Central Europe.
- Lock-in effect of blue hydrogen by 2035, implying a long-term dependence on natural gas.
- Some hydrogen imports to Europe via pipelines from third nations.
- A green hydrogen European economy would require a rapid infrastructure scale-up and additional renewable investments.
- Storage provides flexibility (intra day and seasonal) integration of PV and less need for grids
- Europe can become self-sufficient and utilize green hydrogen by 2050 at relatively small additional system costs



The end ③



Marie Münster, <u>maem@dtu.dk</u> Twitter: @MarieMynster LinkedIn: <u>https://www.linkedin.com/in/marie-münster-b161293</u> Website: <u>https://orbit.dtu.dk/en/persons/marie-münster</u>



Extra

Sector coupled energy systems analysis - Balmorel




Open source (GAMS based)


DTU

Balmorel stands for: Baltic Model of Regional Electricity Liberalisation (2001).


Partial Equilibrium model Objective Function: Min cost of operations and investments.



DATA: H2 demand, applying geospatial tools (QGIS) (2050)







Strategies costs and (Third nations) weather data External optimization framework Balmorel Optimal capacities for renewable assets, electrolysis, and hydrogen transmission LCOH₂(Prod. + Trans.) to system boundaries as H₂ import price

Technology

Hydrogen

Source: Five hydrogen supply corridors for Europe in 2030, EHB, May 2022

DTU

Other Data

- TYNDP 2030 ambitious, 60% are delayed Susser et al. 2022, tradeoff between electricity and hydrogen grids Neyman et al. 2023, Allowing for el. Trans. Inv after 2030.
- WEO 2022, conventional fuel prices (NZE scenario), high co2 tax 140 €/ton for 2030, to 250 €/ton for 2050.
- Backbone costs regarding h2 pipelines, repurposing, and new, compressors costs.
- Storage hydrogen Salt Cavern or steel tanks.
- Investment costs (DEA catalogue and other sources).
- Variable renewable potential, validated across sources (Atlite, TransnetBW, ENSPRESSO)
- Variable renewable profiles CORRES (DTU WIND).
- 4% social interest rate
- Simulation Years, 2020, 2025, 2030,2035,2040,2045,2050 (myopic approach)
- Time aggregation 7 weeks (aka seasons), 24 steps per week, Gea-Bermúdez (2022)
- Total system Hydrogen demand for 2050 1414 TWh

Power-to-X and infrastructure Projects + PhDs

SuperP2G - Modeling and analysis of P2G in EU (recent) (Balmorel and EnerHub2X)

• <u>www.superp2g.eu</u>

PtX Sector Coupling - including district heating (DK and EU) (Balmorel)

<u>https://missiongreenfuels.dk/ptx-sector-coupling-and-lca/</u>

ENABLE - Norwegian green transition (Balmorel)

<u>https://orbit.dtu.dk/en/projects/enabling-the-green-transition-in-norway</u>

BaltHub: Interconnecting the Baltic Sea countries via offshore energy hubs (Balmorel)

https://www.nordicenergy.org/project/balthub/

PtX Infrastructure - Power, H2 and CO2 grids (DK and EU) (Balmorel)

• (Starting up)

Resilient energy systems (Balmorel)

• (Starting up)

PhDs: Mathias Berg Rosendal, Ioannis Kountouris

Green fuels for the Maritime sector Projects + PhDs

MarEFuel - Electro-fuels for long range maritime sector and pathways (recent) (SEAMAPS and OptiPlant)

• <u>https://orbit.dtu.dk/en/projects/electro-fuels-for-long-range-maritime-transport</u>

Feasibility of PtX on Bornholm (OptiPlant)

• <u>https://orbit.dtu.dk/en/projects/feasibility-study-for-power-to-x-production-on-bornholm</u>

NordH2ub - Renewable Fuels - Infrastructure and Investment in the Nordics (Balmorel)(starting up)

PhDs: Nicolas Campion, Sebastian Franz

Recent related articles

Data-driven scheme for optimal day-ahead operation of a wind/hydrogen system under multiple uncertainties Zheng, Y., Wang, J., You, S., Li, X., Bindner, H. W. & Münster, M., 2023, In: Applied Energy. 329, 12 p., 120201.

Power-to-X in energy hubs: A Danish case study of renewable fuel production Kountouris, I., Langer, L., Bramstoft, R., Münster, M. & Keles, D., 2023, (Accepted/In press) In: Energy Policy.

Techno-economic assessment of green ammonia production with different wind and solar potentials Campion, N., Nami, H., Swisher, P. R., Hendriksen, P. V. & Münster, M., 2023, In: Renewable and Sustainable Energy Reviews. 173, 22 p., 113057.

Competitiveness of a low specific power, low cut-out wind speed wind turbine in North and Central Europe towards 2050 Swisher, P., Murcia Leon, J. P., Gea-Bermúdez, J., Koivisto, M., Madsen, H. A. & Münster, M., 2022, In: Applied Energy. 304, 14 p., 118043.

Data-driven robust optimization for optimal scheduling of power to methanol Zheng, Y., You, S., Li, X., Bindner, H. W. & Münster, M., 2022, In: Energy Conversion and Management. 256, 14 p., 115338.

Incorporating optimal operation strategies into investment planning for wind/electrolyser system Zheng, Y., You, S., Bindner, H. W. & Münster, M., 2022, In: CSEE Journal of Power and Energy Systems. 8, 2, p. 347-359

Optimal day-ahead dispatch of an alkaline electrolyser system concerning thermal–electric properties and state-transitional dynamics Zheng, Y., You, S., Bindner, H. W. & Münster, M., 2022, In: Applied Energy. 307, 13 p., 118091.

Requirements for a maritime transition in line with the Paris Agreement Franz, S., Campion, N., Shapiro-Bengtsen, S., Bramstoft, R., Keles, D. & Münster, M., 2022, In: iScience. 25, 12, 14 p., 105630.

Less recent related articles

Should Residual Biomass be used for Fuels, Power and Heat, or Materials? Assessing Costs and Environmental Impacts for China in 2035 Shapiro-Bengtsen, S., Hamelin, L., Møllenbach Bregnbæk, L., Zou, L. & Münster, M.,, Energy Environ. Sci., 2022,15, 1950-1966

Competitiveness of a low specific power, low cut-out wind speed wind turbine in North and Central Europe towards 2050 Swisher, P., Murcia Leon, J. P., Gea-Bermúdez, J., Koivisto, M., Madsen, H. A. & Münster, M., Applied Energy. 304, 14 p., 118043.

The role of sector coupling in the green transition: A least-cost energy system development in Northern-central Europe towards 2050 J Gea-Bermúdez, IG Jensen, M Münster, M Koivisto, JG Kirkerud, Y Chen, H Ravn, Applied Energy 289, 116685

Modelling of renewable gas and renewable liquid fuels in future integrated energy systems R Bramstoft, A Pizarro-Alonso, IG Jensen, H Ravn, M Münster, Applied Energy 268, 114869

Analysis on electrofuels in future energy Systems: A 2050 case study

MS Lester, R Bramstoft, M Münster, Energy, 117408

Potential role of renewable gas in the transition of electricity and district heating systems

IG Jensen, F Wiese, R Bramstoft, M Münster, Energy Strategy Reviews 27, 100446

Pathways to climate-neutral shipping: A Danish case study

T ben Brahim, F Wiese, M Münster, Energy 188, 116009

Uncertainties towards a fossil-free system with high integration of wind energy in long-term planning A Pizarro-Alonso, H Ravn, M Münster, Applied Energy 253, 113528

Impact and effectiveness of transport policy measures for a renewable-based energy system

G Venturini, K Karlsson, M Münster, Energy Policy 133, 110900

How to maximise the value of residual biomass resources: The case of straw in Denmark

G Venturini, A Pizarro-Alonso, M Münster, Applied Energy 250, 369-388

Balmorel open source energy system model

Wiese, F., Bramstoft, R., Koduvere, H., Pizarro Alonso, A. R., Balyk, O., Kirkerud, J. G., Tveten, Å. G., Bolkesjø, T. F., Münster, M. & Ravn, H. V., 2018, Energy Strategy Reviews. 20

Sector coupling in EU


Focus on electrification

Technological overview

- 1. Power to heating and cooling (PtH)
- 2. Power to mobility (EV)
- 3. Power to gas/ fuels (PtX)
 - Status
 - Potential
 - Barriers



https://energypolicycast.podbean.com/e/sect or-vector-and-smart-sector-coupling/



https://www.etip-snet.eu/sector-coupling-concepts-state-art-perspectives/